


# **Automat**

Dry feeder for pigs weighing from 7 kg to slaughter weight



Dry feeders for pigs weighing from 7 kg to slaughter weight. Many pig breeders consider keeping water and feed separately the best solution. This type of feeders can be used for almost any kind of feed. Two versions are available: the FR-H and F-H feeders featuring a plastic trough and the FR and F feeders featuring a stainless steel trough.

The Domino feeders are also noted for the following:

One metal bar per feeding place ensures permanent access to feed Waste catching edge on trough preventing waste of feed Strong materials, PE plastics and stainless steel Stainless steel section reinforced edges

No sharp edges that can harm the animals

Easy to clean – disassembling before cleaning not required Supplied fully assembled and ready for installation

Easy adjustment of feed opening for various types of feed

### Data: Automat 🕾

| ,O | O  |
|----|----|
| 0  | 1  |
| ,  |    |
| /  | O. |

|              |       | <b>(2)</b> | 0    | Θ   | 0   |     |     |       |        |        |       | THE WAY |
|--------------|-------|------------|------|-----|-----|-----|-----|-------|--------|--------|-------|---------|
|              | No.   |            |      |     |     | ltr | kg  | 0-7kg | 7-30kg | 7-45kg | 25>kg |         |
| FH-1         | 08130 | 750        | 350  | 375 | 150 | 35  | 25  |       |        |        | 10    |         |
| FH-2         | 08131 | 750        | 685  | 375 | 150 | 70  | 50  |       |        |        | 20    |         |
| FH-3         | 08132 | 750        | 1025 | 375 | 150 | 105 | 75  |       |        |        | 30    |         |
| FH-2D        | 08140 | 750        | 685  | 750 | 150 | 140 | 100 |       |        |        | 40    |         |
| FH-3D        | 08141 | 750        | 1025 | 750 | 150 | 210 | 150 |       |        |        | 60    |         |
| FRH-2        | 08150 | 600        | 475  | 310 | 110 | 30  | 21  |       | 15     | 15     |       |         |
| FRH-3        | 08151 | 600        | 685  | 310 | 110 | 45  | 32  |       | 20     | 20     |       |         |
| FRH-4        | 08152 | 600        | 895  | 310 | 110 | 60  | 42  |       | 25     | 25     |       |         |
| FRH-3D       | 08160 | 600        | 685  | 620 | 110 | 90  | 64  |       | 40     | 40     |       |         |
| FRH-4D       | 08161 | 600        | 895  | 620 | 110 | 120 | 84  |       | 50     | 50     |       |         |
| F 900/3      | 18410 | 750        | 925  | 380 | 150 | 105 | 75  |       |        |        | 15    |         |
| F 1200/4     | 18411 | 750        | 1225 | 380 | 150 | 140 | 100 |       | 16     |        | 20    |         |
| F 1500/5     | 18412 | 750        | 1525 | 380 | 150 | 174 | 124 |       |        |        | 25    |         |
| F 900/3 D    | 18420 | 750        | 925  | 760 | 150 | 210 | 150 |       |        |        | 30    |         |
| F 1200/4 D   | 18421 | 750        | 1225 | 760 | 150 | 280 | 200 |       |        |        | 40    |         |
| F 1500/5 D   | 18422 | 750        | 1525 | 760 | 150 | 348 | 248 |       |        |        | 50    |         |
| F 900/3 H    | 18430 | 1000       | 925  | 380 | 150 | 140 | 100 |       |        |        | 15    |         |
| F 1200/4 H   | 18431 | 1000       | 1225 | 380 | 150 | 186 | 133 |       |        |        | 20    |         |
| F 1500/5 H   | 18432 | 1000       | 1525 | 380 | 150 | 232 | 166 |       |        |        | 25    |         |
| F 900/3 HD   | 18440 | 1000       | 925  | 760 | 150 | 280 | 200 |       |        |        | 30    |         |
| F 1200/4 HD  | 18441 | 1000       | 1225 | 760 | 150 | 372 | 266 |       |        |        | 40    |         |
| F 1500/5 HD  | 18442 | 1000       | 1525 | 760 | 150 | 464 | 332 |       |        |        | 50    |         |
| FR 400/2     | 18148 | 600        | 425  | 310 | 110 | 38  | 27  |       | 10     | 10     |       |         |
| FR 800/4     | 18150 | 600        | 825  | 310 | 110 | 76  | 54  |       | 20     | 20     |       |         |
| FR 1000/5    | 18151 | 600        | 1025 | 310 | 110 | 95  | 67  |       | 25     | 25     |       |         |
| FR 1200/6    | 18152 | 600        | 1225 | 310 | 110 | 114 | 80  |       | 30     | 30     |       |         |
| FR 1400/7    | 18154 | 600        | 1425 | 310 | 110 | 133 | 93  |       | 35     | 35     |       |         |
| FR 800/4 H   | 18170 | 750        | 825  | 310 | 110 | 100 | 70  |       | 20     | 20     |       |         |
| FR 1000/5 H  | 18171 | 750        | 1025 | 310 | 110 | 125 | 88  |       | 25     | 25     |       |         |
| FR 1200/6 H  | 18172 | 750        | 1225 | 310 | 110 | 150 | 105 |       | 30     | 30     |       |         |
| FR 1400/7 H  | 18173 | 750        | 1425 | 310 | 110 | 175 | 123 |       | 35     | 35     |       |         |
| FR 800/4 D   | 18155 | 600        | 825  | 620 | 110 | 152 | 108 |       | 40     | 40     |       |         |
| FR 1000/5 D  | 18156 | 600        | 1025 | 620 | 110 | 190 | 134 |       | 50     | 50     |       |         |
| FR 1200/6 D  | 18157 | 600        | 1225 | 620 | 110 | 228 | 160 |       | 60     | 60     |       |         |
| FR 1400/7 D  | 18158 | 600        | 1425 | 620 | 110 | 266 | 186 |       | 70     | 70     |       |         |
| FR 800/4 HD  | 18175 | 750        | 825  | 620 | 110 | 200 | 140 |       | 40     | 40     |       |         |
| FR 1000/5 HD | 18176 | 750        | 1025 | 620 | 110 | 250 | 176 |       | 50     | 50     |       |         |
| FR 1200/6 HD | 18177 | 750        | 1225 | 620 | 110 | 300 | 210 |       | 60     | 60     |       |         |
| FR 1400/7 HD | 18178 | 750        | 1425 | 620 | 110 | 350 | 246 |       | 70     | 70     |       |         |





FH-1 (08130)













(08140)

















(08152)







FRH-4D (08161)

FR-model

W. Domino A/S Ølholm Bygade 51 - DK- 7160 Tørring Tlf. +45 76 90 41 20 - Fax +45 75 80 54 24 domino@domino.dk www.domino.dk



# 





### **AD-LIB FEEDER WITH WATER FOR PIGS WEIGHING FROM 7 KG** TO SLAUGHTER WEIGHT



The Slop Feeder is the optimal dry feeder with water supply for pigs weighing from 7 kg to slaughter weight. Head separation ensures calm behaviour at the feeder.

Separate trough for each feeding place.

The specially designed dispenser head ensures that the pigs are not in contact with the feed before it is in the trough thus preventing clogging of the feeder.


The Domino Slop Feeder is also noted for the following:

Strong materials, PE plastic and stainless steel Stainless steel section reinforced edges No sharp edges Supplied fully assembled and ready for installation Multiple feed amount settings ensuring minimum feed waste



### Data: Slop Feeder 📤 🚳

|                                     |      |       | 0    | <b>(</b> | Θ   | 0   | *   |     |       |        |        |       |  |
|-------------------------------------|------|-------|------|----------|-----|-----|-----|-----|-------|--------|--------|-------|--|
| ,0                                  |      | No.   |      |          |     |     | ltr | kg  | 0-7kg | 7-30kg | 7-45kg | 25>kg |  |
| \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | S-1  | 18250 | 1000 | 350      | 350 | 130 | 60  | 42  |       |        |        | 15    |  |
|                                     | S-2  | 18251 | 1000 | 685      | 350 | 130 | 120 | 84  |       |        |        | 30    |  |
|                                     | S-3  | 18252 | 1000 | 1025     | 350 | 130 | 180 | 126 |       |        |        | 45    |  |
|                                     | S-1D | 18260 | 1000 | 350      | 700 | 130 | 120 | 84  |       |        |        | 30    |  |
|                                     | S-2D | 18261 | 1000 | 685      | 700 | 130 | 240 | 168 |       |        |        | 60    |  |
|                                     | S-3D | 18262 | 1000 | 1025     | 700 | 130 | 360 | 252 |       |        |        | 90    |  |
|                                     |      |       |      |          |     |     |     |     |       |        |        |       |  |
| <b>O</b> :                          | M-1  | 18270 | 950  | 350      | 290 | 115 | 50  | 35  |       | 15     | 15     |       |  |
|                                     | M-2  | 18271 | 950  | 685      | 290 | 115 | 100 | 70  |       | 30     | 30     |       |  |
|                                     | M-3  | 18272 | 950  | 1025     | 290 | 115 | 150 | 105 |       | 45     | 45     |       |  |
|                                     | M-1D | 18280 | 950  | 350      | 580 | 115 | 100 | 70  |       | 30     | 30     |       |  |
|                                     | M-2D | 18281 | 950  | 685      | 580 | 115 | 200 | 140 |       | 60     | 60     |       |  |
|                                     | M-3D | 18283 | 950  | 1025     | 580 | 115 | 300 | 210 |       | 90     | 90     |       |  |
|                                     |      |       |      |          |     |     |     |     |       |        |        |       |  |
|                                     | K-1  | 08261 | 950  | 250      | 250 | 90  | 23  | 15  |       | 15     |        |       |  |
|                                     | K-2  | 08262 | 950  | 450      | 250 | 90  | 46  | 30  |       | 30     |        |       |  |
|                                     | K-3  | 08263 | 950  | 650      | 250 | 90  | 69  | 45  |       | 45     |        |       |  |
|                                     | K-4  | 08264 | 950  | 850      | 250 | 90  | 92  | 60  |       | 60     |        |       |  |



W. Domino A/S Ølholm Bygade 51 - DK- 7160 Tørring Tlf. +45 76 90 41 20 - Fax +45 75 80 54 24 domino@domino.dk www.domino.dk





# DRY AND WET FEEDING OF PIGS WEIGHING FROM 7 KG TO SLAUGHTER WEIGHT



The Domino Mixer dispenses feed and water when wanted. A nipple placed in the trough allows the pigs to alternate between feed and water or to mix feed and water. The eating plate is located under the feed hopper from which feed can be taken directly, or the plate can be activated so that feed falls into the trough. Ideal for more greasy feed mixes which tend to bridge.


The Domino Mixer is also noted for the following:

Strong materials, PE plastics and stainless steel
Stainless steel section reinforced edges
No sharp edges that can harm the animals
Easy to clean
Supplied fully assembled and ready for installation
Multiple feed amount settings ensuring minimum feed waste



### Data: Mixer 📤 🚳

|            |        |       | Δ    | <b>3</b> | Θ   | 0   |     | ĺ   |       |        |        |       |  |
|------------|--------|-------|------|----------|-----|-----|-----|-----|-------|--------|--------|-------|--|
|            |        | No.   |      |          |     |     | Itr | kg  | 0-7kg | 7-30kg | 7-45kg | 25>kg |  |
| T   O      | FH-1   | 08144 | 1000 | 350      | 350 | 130 | 35  | 25  |       |        |        | 12    |  |
|            | FH-2   | 08145 | 1000 | 685      | 350 | 130 | 70  | 50  |       |        |        | 24    |  |
|            | FH-1D  | 08146 | 1000 | 350      | 700 | 130 | 70  | 50  |       |        |        | 24    |  |
|            | FH-2D  | 08147 | 1000 | 685      | 700 | 130 | 140 | 100 |       |        |        | 48    |  |
|            |        |       |      |          |     |     |     |     |       |        |        |       |  |
| 1 II IH II | FRH-1  | 08164 | 850  | 350      | 290 | 115 | 23  | 16  |       | 15     | 15     |       |  |
|            | FRH-2  | 08165 | 850  | 685      | 290 | 115 | 46  | 32  |       | 30     | 30     |       |  |
|            | FRH-1D | 08166 | 850  | 350      | 580 | 115 | 46  | 32  |       | 30     | 30     |       |  |
|            | FRH-2D | 08167 | 850  | 685      | 580 | 115 | 92  | 64  |       | 60     | 60     |       |  |
|            |        |       |      |          |     |     |     |     |       |        |        |       |  |





## Star Feeder





#### DRY AND WET FEEDING OF PIGS WEIGHING FROM 7 KG TO SLAUGHTER **WEIGHT**



Dry and wet feeding of pigs weighing from 7 kg to slaughter weight

The Star Feeder is the optimal feeder for dry and soaked feeding of pigs weighing from 7 kg to slaughter weight. The round trough of the Star Feeder ensures that several pigs can be fed simultaneously. The round trough also ensures that feed and water are mixed faster and more evenly. These advantages reduce the time spent at the feeder and reduce the risk of tail biting and fighting for the feed.

The dispenser head above the trough features two pendulums dispensing the feed where the pigs are standing and ensuring that the pigs are not in contact with the feed before it is in the trough thus preventing clogging of the feeder. This makes the Star Feeder ideal for installation between two pens, as there will be no neighbour feeding.

The Domino Star Feeder is also noted for the following:

Strong materials, PE plastics and stainless steel

No sharp edges that can harm the animals

Easy to clean

Supplied fully assembled and ready for installation

Multiple feed amount settings

High trough edge minimising feed waste



### Data: Star Feeder 🔊 🔕

|     |        |       | 0    | <b>3</b> | Θ   | 0   | 7   |    |       |        |        |       | AL C |
|-----|--------|-------|------|----------|-----|-----|-----|----|-------|--------|--------|-------|------|
|     |        | No.   |      |          |     |     | ltr | kg | 0-7kg | 7-30kg | 7-45kg | 25>kg |      |
| - B | K-Flex | 18335 | 1180 | 440      | 430 | 100 | 80  | 56 |       | 50     | 50     |       |      |
|     | S-Flex | 18315 | 1180 | 580      | 560 | 130 | 80  | 56 |       |        |        | 40    | 20   |
| 0   |        |       |      |          |     |     |     |    |       |        |        |       |      |





S-Flex (18315)



### **S.O.1**





#### **AD LIB FEEDING OF PREGNANT SOWS**



The S.O.1 has been specially designed for ad lib feeding of pregnant sows.

The right exterior dimensions and reinforcements make the feeder very functional and rugged. Ad lib feeding ensures calm sows, as the sows get used to permanent access to feed.

The S.O.1 ensures simple and reliable feeding of sows in large or small groups.

The Domino S.O.1 feeder is also noted for the following:

Strong materials, PE plastics and stainless steel
A strong mounting fitting ensuring stability
Stainless steel section reinforced edges
No sharp edges
Easy to clean - disassembling before cleaning not required
Supplied fully assembled and ready for installation
Multiple feed amount settings ensuring minimum feed waste



### Data: **S.O.1**

|   |       |       | <b>a</b> | <b>3</b> | Θ   | 0   |     |    |       |        |        |       | THE STATE OF |
|---|-------|-------|----------|----------|-----|-----|-----|----|-------|--------|--------|-------|--------------|
|   |       | No.   |          |          |     |     | ltr | kg | 0-7kg | 7-30kg | 7-45kg | 25>kg |              |
| B | S.O.1 | 08265 | 1000     | 350      | 350 | 130 | 50  | 35 |       |        |        |       | 10           |
| 0 |       |       |          |          |     |     |     |    |       |        |        |       |              |




S.O. 1 (08265)



# S.O.3 / S.O.33

### Ad lib feeding of nursing sows



The S.O.3/S.O.33 are perfect ad-lib feeders for nursing sows.

The feeder type S.O.3 has a hanger dispenser and the S.O.33 has a pendulum dispenser. The dispenser head ensures that the pigs are not in contact with the feed before it is in the trough thus preventing clogging of the feeder.

Ad lib feeding ensures constantly fresh feed, increasing milk yields, calm behaviour, and improved welfare among piglets.

The Domino S.O.3/S.O.33 are also noted for the following:

Strong materials, PE plastics and stainless steel

No sharp edges that can harm the animals

Easy to install in existing farrowing pens

Supplied fully assembled and ready for installation

Multiple feed amount settings ensuring minimum feed waste



### Data: S.O.3 / S.O.33 🔺

|     |        |       | 0  | <b>B</b> | Θ  | 0 |     |    |       |        |        |       | AT . |
|-----|--------|-------|----|----------|----|---|-----|----|-------|--------|--------|-------|------|
| 9   |        | No.   |    |          |    |   | ltr | kg | 0-7kg | 7-30kg | 7-45kg | 25>kg |      |
| 0   | S.O. 3 | 08267 | 50 | 32       | 20 |   | 18  | 12 |       |        |        |       | 1    |
| 1 1 | S.O.33 | 18267 | 57 | 40       | 18 |   | 20  | 12 |       |        |        |       | 1    |



S.O.3 (08267)




S.O.33 (18267)



### S.O. 22 Uni

# A UNIVERSAL FEEDER FOR PREGNANT SOWS, NURSING SOWS, PIGLETS AND PORKERS



The S.O.22 Uni is the universal feeder for pregnant sows, nursing sows, piglets and porkers. Feeding the pigs according to their appetite leads to increased feed absorption and increased milk yields. The weaned pigs thus achieve a higher weight. Experience also shows a reduced loss of flesh, which again leads to a reduced feed consumption per sow per year.

The S.O.22 Uni feeder is for sows and pigs weighing from 7 to 120 kg. When the sow stays together with the piglets, they will quickly learn to use the feeder.

The specially designed dispenser head ensures that the pigs are not in contact with the feed before it is in the trough thus preventing clogging of the feeder.

The Domino S.O.22 feeder is also noted for the following: Strong materials, PE plastics and stainless steel Stainless steel section reinforced edges No sharp edges that can harm the animals Supplied fully assembled and ready for installation A two-piece mounting fitting ensuring stability Multiple feed amount settings ensuring minimum feed waste



### Data: **S.O.22 Uni**

|          |             |       | <b>(</b> | <b>3</b> | Θ   | 0   | Ž   | Ì  |       |        |        |       |    |
|----------|-------------|-------|----------|----------|-----|-----|-----|----|-------|--------|--------|-------|----|
| <b>O</b> |             | No.   |          |          |     |     | ltr | kg | 0-7kg | 7-30kg | 7-45kg | 25>kg |    |
| 40       | S.O. 22 Uni | 18266 | 950      | 475      | 310 | 100 | 65  | 42 | 0     | 20     | 20     | 15    | 10 |
| 0        |             |       |          |          |     |     |     |    |       |        |        |       |    |

